

产品选型手册 PRODUCTS MANUAL

COMPANY PROFILE

上海汉钟精机股份有

PS系列干式螺

PS SERIES DRY SCREW VACUUM PUMP

主要特点：


MAIN FEATURES:

Series	机种	-		外罩				
	Model	-	Type					
(PS)	(XXX)							
PS	80							
	160							
	180							
	302							
	602							
	903							
	1302							
	1802							
PD	2002							
	2202							
	120							
	300							
	400							
	650							
	800							

机型 Model	PS

外形尺寸： PHYSICAL DIMENSION:


N型/N Type



单位/Unit :mm


机型 Model	A	B	C	D	E	G	H	K	L	M
PS80-N	375	320	550	185	740	923	576	668		
PS160-N	405	320	565	215	857	1006	582	645	107	

A/N型 /A/N Type



单位/Unit :mm

机型 Model	A	B	C	D	E	G	H	K	L	M
PS80-A	380	663	552	190	740	814	576	668	105	274



PD性能曲线：

外形尺寸：

PR系列

机型 Model		单位Unit	PR600					

- 可选用唇形与机械轴封的设计,有效阻隔制程气体,防止外泄

化工专用真空泵

Dry Screw Vacuum

性能参数

机型	防爆对应	极限压力(Pa)
PS80	Ex8	1
PD120	Ex12	
PD160	Ex16	
PD180	Ex18	
PD300	Ex30	
PD400	Ex40	
PD650	Ex65	
PD800	Ex80	

机型	防爆		

外形尺寸：physical dimension

汉

产